



NOCO BOOST®

NOCO®

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY
THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.
V10.08.19A 1

START DEAD BATTERIES.™

NOCO Boost is the safest, most-extensive brand of lithium jump starters in the world, featuring the most advanced safety and battery technology compared to any other brand.



**#1 SELLING
BRAND**

**LITHIUM
POWERED**

**12V
MODELS**

**ULTRASAFE®
DESIGN**

NOCO®

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 2

Not only did NOCO pioneer spark-proof technology and reverse polarity protection, but also a vast array of technologies that sets the standard for jump starting.

Not only did NOCO pioneer spark-proof technology and reverse polarity protection, but also a vast array of technologies that sets the standard for jump starting.



US 20190222042A1

(12) **Patent Application Publication**
NOOK et al.

(10) **Pub. No.:** US 2019/0111000 A1
(43) **Pub. Date:** July 18, 2019

ES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND
 ES PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER
 O THIS DOCUMENT OR OTHERWISE.

(53) Continuation of application No. PCT/US2018/ (57) V10.08.19A 3

(52) U.S. CL.
CPC H02J 7/0042 (2013.01); H01M 2220/30 (2013.01); H01M 2260/26 (2013.01); H02J 7/00
NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM.

(57) V10.08.19A 3


V10.08.19A 3

IMPROVED PERFORMANCE. IMPROVED DESIGN.

Boost is a highly engineered product, built for safety, durability and reliability - now more powerful than ever before.


UP TO
30%
MORE POWER.

MOST ADVANCED
DESIGN. EVER.



SIMPLIFIED. INTUITIVE USER INTERFACE.

A more simplified and improved user interface for improved readability and resigned Charge LEDs. Cold and Hot Smart Indicators for **GB50 BOOST XL** indicate when the unit is reaching the upper and lower limits of its temperature range.





PROTECTS AGAINST WATER, DIRT, DUST, AND MORE.

NOCO

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 6

GB40 BOOST[®] PLUS[™]

ULTRASAFE[®] JUMP STARTER



12V 1000A

6L GAS
3L DIESEL

20 JUMP STARTS
PER CHARGE

LED FLASHLIGHT
100-LUMEN
SEVEN LIGHT MODES

JUMPSTARTERS

ACCESSORIES

OVERVIEW

TECH SPECS

COMPARE



What's In The Box

- GB40 Lithium Jump Starter
- Heavy-Duty Battery Clamps
- 12V Car Charger
- Micro USB Cable
- Microfiber Storage Bag
- User Guide & Warranty Information

Retail Packaging

Dimensions: 3.62"x4.57"x8.27"
Weight: 2.75lbs
UPC: 0-46221-15002-5

Inner Carton:

Dimensions: 4.01"x8.78"x5.12"
Weight: 2.89lbs

Master Carton:

Dimensions: 9.25"x12.60"x11.22"
Weight: 18.30lbs
Quantity: 6
UCC: 10046221150022

Units Per Pallet:

270 Units

NOCO[®]

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 7

GB70 BOOST[®] HD[™] ULTRASAFE[®] JUMP STARTER



12V 2000A

8L GAS
6L DIESEL

40 JUMP STARTS
PER CHARGE

LED FLASHLIGHT
400-LUMEN
SEVEN LIGHT MODES

JUMPSTARTERS

ACCESSORIES

OVERVIEW

TECH SPECS

COMPARE



What's In The Box

- GB70 Lithium Jump Starter
- XGC 12V Male Adapter
- XGC 12V Female Adapter
- Micro USB Cable
- Microfiber Storage Bag
- User Guide & Warranty Information

Retail Packaging

Dimensions: 7.28"x4.84"x9.80"
Weight: 5.09lbs
UPC: 0-46221-15005-6

Inner Carton:

Dimensions: 10.27"x7.72"x5.39"
Weight: 5.44lbs

Master Carton:

Dimensions: 15.98"x10.83"x11.50"
Weight: 22.60lbs
Quantity: 4
UCC: 10046221150053

Units Per Pallet:

120 Units

NOCO[®]

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 8

GB150 BOOST[®] PRO[™]

ULTRASAFE[®] JUMP STARTER



12V 4000A

10L+ GAS
10L+ DIESEL

80 JUMP STARTS
PER CHARGE

LED FLASHLIGHT
500-LUMEN
SEVEN LIGHT MODES

JUMPSTARTERS

ACCESSORIES

OVERVIEW

TECH SPECS

COMPARE



BUILT-IN DIGITAL VOLTMETER DISPLAY

What's In The Box

- GB150 Lithium Jump Starter
- XGC 12V Male Adapter
- XGC 12V Female Adapter
- Micro USB Cable
- Microfiber Storage Bag
- User Guide & Warranty Information

Retail Packaging

Dimensions: 8.19"x4.88"x13.70"
Weight: 8.00lbs
UPC: 0-46221-15006-3

Inner Carton:

Dimensions: 14.09"x8.78"x5.79"
Weight: 8.46lbs

Master Carton:

Dimensions: 14.76"x9.25"x12.50"
Weight: 17.97lbs
Quantity: 2
UCC: 10046221150060

Units Per Pallet:

72 Units



PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 9

INTEGRATED VOLTMETER. UNDERSTAND THE PROBLEM.

The **GB150 BOOST PRO** has a built-in digital voltmeter that shows the connected batteries voltage, allowing the user to determine if its a battery issue or something else.



PORTABLE POWER. POWER 12-VOLT DEVICES.

Power your favorite 12-volt devices, like a car jack, tire inflator, power inverter, coffee maker, fan and much more with the **GB70 BOOST HD** and **GB150 BOOST PRO**.



PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 11

RAPID RECHARGE. FROM 0-100% 4X FASTER.

Charge directly from the vehicle's 12-volt auxiliary port or the XGC4 4-Amp Power Adapter to recharge the **GB70 BOOST HD** and **GB150 BOOST PRO** up to 4X faster.

Optional
**XGC4 56W XGC
Power Adapter**
recharges Boost
from home.



12V Port

12V IN

XGC4 56W XGC POWER ADAPTER



XGC4 IS A 56-WATT POWER ADAPTER FOR RAPIDLY RECHARGING NOCO BOOST ULTRA SAFE LITHIUM JUMP STARTERS.

**UP TO
5X FASTER CHARGE
THAN 2A USB**

**COMPATIBLE
WITH GB70, AND GB150**



JUMPSTARTERS		ACCESSORIES	
		CABLES	EVA CASES



What's In The Box
• XGC4 56W XGC Power Adapter

Inner Carton:
Dimensions: 4.72"x3.31"x8.66"
Weight: 1.78bs

Retail Packaging
Dimensions: 4.49"x2.64"x8.19"
Weight: 0.96lbs
UPC: 0-46221-17030-6

Master Carton:
Dimensions: 17.95"x9.92"x14.33"
Weight: 29.10lbs
Quantity: 16
UCC: 10046221170303

Units Per Pallet:
576 Units

USB POWER. CHARGE & RECHARGE

Recharges and charges completely via USB. Recharge from any USB power source (e.g., AC charger, laptop, car charger), or charge devices like smartphones, tablets, and much more.



Charge devices.
2.1A USB OUT

Recharge Boost.
2.1A MICRO
USB IN



GBC013 EVA PROTECTIVE CASE FOR BOOST PLUS - GB40



SEMI-RIGID
DURABLE & RUGGED

PROTECTION
IMPACT RESISTANT
PORTABLE STORAGE

COMPATIBLE
WITH GB40 PLUS


ACCESSORY
ADDITIONAL POCKETS

JUMPSTARTERS

ACCESSORIES

CABLES

EVA CASES



What's In The Box
• GBC013 Protective Case

Inner Carton:
Dimensions: 10.47"x3.94"x6.26"
Weight: 1.03lbs

Master Carton:
Dimensions: 19.49"x10.83"x8.46"
Weight: 7.11lbs
Quantity: 6
UCC: 10046221170273

Retail Packaging
Dimensions: 10.16"x3.82"x5.43"
Weight: 0.78lbs
UPC: 0-46221-17027-6

Units Per Pallet:
300 Units

NOCO

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 15

GBC014 EVA PROTECTIVE CASE FOR BOOST HD - GB70



SEMI-RIGID
DURABLE & RUGGED

PROTECTION
IMPACT RESISTANT
PORTABLE STORAGE

COMPATIBLE
WITH GB70 BOOST HD


ACCESSORY
ADDITIONAL POCKETS

JUMPSTARTERS

ACCESSORIES

CABLES

EVA CASES



What's In The Box
• GBC014 Boost HD EVA
Protective Case

Inner Carton:
Dimensions: 12.40"x7.87"x5.28"
Weight: 1.80lbs

Master Carton:
Dimensions: 16.40"x12.68"x11.30"
Weight: 8.30lbs
Quantity: 4
UCC: 10046221170280

Retail Packaging
Dimensions: 12.36"x5.43"x7.64"
Weight: 1.4lbs
UPC: 0-46221-17028-3

Units Per Pallet:
180 Units

NOCO

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 16

GBC015 EVA PROTECTIVE CASE FOR BOOST PRO - GB150



SEMI-RIGID
DURABLE & RUGGED

PROTECTION
IMPACT RESISTANT
PORTABLE STORAGE

COMPATIBLE
WITH GB150 BOOST PRO


ACCESSORY
ADDITIONAL POCKETS

JUMPSTARTERS

ACCESSORIES

CABLES

EVA CASES



What's In The Box
• GBC015 Boost Pro EVA
Protective Case

Inner Carton:
Dimensions: 14.25"x5.51"x9.53"
Weight: 2.36lbs

Master Carton:
Dimensions: 14.69"x11.42"x10.12"
Weight: 5.80lbs
Quantity: 2
UCC: 10046221170297

Retail Packaging
Dimensions: 14.65"x5.43"x8.74"
Weight: 1.76lbs
UPC: 0-46221-17029-0

Units Per Pallet:
100 Units

NOCO

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

V10.08.19A 17



NOCO genius®



CHARGE DEAD BATTERIES.

From partially drained batteries to completely dead batteries, we changed everything. An improved start-voltage sensor now detects dead batteries as low as **1-volt**. And an all-new force mode allows manual charging for extreme dead batteries - all the way down to **zero volts**.



CHARGE DOWN TO ZERO VOLTS.

In **Force Mode**, the charger will run a 5-minute charge cycle to bring the battery back to life. The Charge LEDs will chase, and the selected mode will blink. After the 5 minute cycle, the charger will initiate standard charging.

To enter Force Mode, simply press and hold the mode button for ~5 seconds and all of the modes will blink. Then toggle through and select the correct one for the application.

DO MORE WITH ONE CHARGER.

A multi-functional design that allows you to charge in more ways. Effortlessly charge multiple battery voltages and chemistries. Switch to Repair Mode to recovery old batteries or prime a new one. And use Supply Mode for ECU reprogramming, painting onboard computer systems during battery changing, or power 12-volt devices.

MULTI-VOLTAGE

6-volt and 12-volt lead-acid batteries.

CHEMISTRIES

Flooded, gel, maintenance-free and AGM batteries.

TYPES

Starter, deep-cycle, marine, powersport and more.

SUPPLY MODE

Reprogram ECUs, maintain power, or unequalize batteries.

REPAIR MODE

Recover old and damaged batteries, plus prime new batteries.

LITHIUM MODE





























Lithium-ion batteries, including iron phosphate.



SIMPLE TROUBLESHOOTING.

ADVANCED DIAGNOSTICS.

ERROR CONDITION

Battery Below Start Voltage	   
Reverse Polarity	   
Battery Will Not Hold Charge	   
Bulk Charge Timeout	   
Battery Above Protection Voltage	   
Charger Internal Temperature Too High	   
Charger Ambient Temperature Too Cold	   


 [Indicates Flashing]

High Voltage Battery Failure Reverse Polarity Standby



THERMAL COMPENSATION. OPTIMIZED FOR ANY CLIMATE.

Elevates charging to a whole new level of performance by dynamically altering each charge based on the ambient temperature and providing a more accurate recharge.



Thermal sensor reads ambient temperature at the beginning of charge cycles.

BRINGING BATTERIES BACK TO LIFE.



AUTO DESULFATION

Built-in desulfation mode.

AUTO DETECTION

Smart diagnostic indicators.

AUTO REPAIR

Repair integrated within a 9-step charging profile.



COMPLETELY AUTOMATIC.

Finally a charger from start to finish that's completely automatic. No special modes, no technical knowledge required. Genius will safely charge any battery. Detect damaged batteries and intuitively repair them. And actively monitor for long-term battery maintenance and extend battery life.



YEAR-ROUND CHARGING

Provides all-season, all-weather charging for a healthy battery.

ZERO OVERCHARGE

Leave plugged in 24/7 with no worries of overcharging.

AUTO MEMORY

Automatically returns to its last selected mode.

MOUNTING OPTIONS. CUSTOM FOR EACH CHARGER.

Mount your charger in your garage, on a workbench, or in a convenient location so that you can connect quickly and as often as needed to extend the life of your battery.



*Included on GENIUS2, GENIUS2D, GENIUS5, and GENIUS10.

NOCO genius[®] 5[™] CHARGER & MAINTAINER



5A CHARGING
CURRENT

6V & 12V

75W OUTPUT
POWER

120Ah BATTERY
CAPACITY

GENIUS CHARGERS

ACCESSORIES

OVERVIEW

TECH SPECS

COMPARE



What's In The Box

- Genius 5 Battery Charger w/ Interchangeable Connector
- Clamps w/ Integrated Eyelets
- Mounting Bracket w/ Strap
- (2) Self-Tapping Screws
- User Guide & Warranty Information

Retail Packaging

Dimensions: 4.61" x 3.43" x 7.95"
Weight: 1.59
UPC: 0-46221-19004-5

Inner Carton:

Dimensions: 4.84" x 3.70" x 8.19"
Weight: 1.75lbs

Master Carton:

Dimensions: 17.10" x 11.97" x 5.51"
Weight: 11.31lbs
Quantity: 6
UCC: 10046221190042

Units Per Pallet:

252 Units

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

NOCO genius[®] 10[™] CHARGER & MAINTAINER



10A CHARGING
CURRENT

6V & 12V

150W OUTPUT
POWER

230Ah BATTERY
CAPACITY

GENIUS CHARGERS

ACCESSORIES

OVERVIEW

TECH SPECS

COMPARE



What's In The Box

- Genius 10 Battery Charger w/ Interchangeable Connector
- Clamps w/ Integrated Eyelets
- Mounting Bracket w/ Strap
- (2) Self-Tapping Screws
- User Guide & Warranty Information

Retail Packaging

Dimensions: 4.41" x 4.76" x 9.10"
Weight: 3.99lbs
UPC: 0-46221-19005-2

Inner Carton:

Dimensions: 4.60" x 4.76" x 9.21"
Weight: 4.17lbs

Master Carton:

Dimensions: 19.02" x 9.84" x 5.71"
Weight: 17.42lbs
Quantity: 4
UCC: 10046221190059

Units Per Pallet:

224 Units

PROPRIETARY AND CONFIDENTIAL. COPYRIGHT © 2019 THE NOCO COMPANY

THIS DOCUMENT CONTAINS PROPRIETARY, CONFIDENTIAL, COPYRIGHTED, AND TRADE SECRET INFORMATION OF THE NOCO COMPANY AND ITS AFFILIATED COMPANIES ("NOCO"). ALL MATERIAL, INFORMATION, AND CONTENT ARE THE PROPERTY OF NOCO, AND NOCO RETAINS ALL RIGHT, TITLE, AND INTEREST THEREIN. THIS DOCUMENT MAY NOT BE COPIED, DISSEMINATED, DISCLOSED, PUBLISHED, DIVULGED, OR REPRODUCED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF NOCO. TITLE IN AND TO THIS DOCUMENT (NO MATTER IF IN PRINTED, ELECTRONIC, OR ANY OTHER FORM) AND ALL INFORMATION CONTAINED HEREIN REMAINS AT ALL TIMES IN NOCO. NO INTELLECTUAL PROPERTY RIGHTS ARE TRANSFERRED TO YOU BY ACCESS TO THIS DOCUMENT OR OTHERWISE.

GC002 X-CONNECT EYELET TERMINAL CONNECTOR

16 AWG

M6 HOLE SIZE



Permanently mounting the GC002 to a battery allows any Genius charger to connect quickly and easily.



What's In The Box

- GC002 X-Connect Eyelet Terminal Connector

Retail Packaging

Dimensions: 1.6" x 5.1" x 3.2"
Weight: 0.20 lbs
UPC: 0-46221-10055-6

Inner Carton:

Dimensions: 1.8" x 5.4" x 3.5"
Weight: 0.24 lbs


Master Carton:

Dimensions: 11.3" x 11.9" x 11.6"
Weight: 9.66 lbs
Quantity: 36
UCC: 10046221100553

Units Per Pallet:

3,456 Units

GC004 X-CONNECT 10 FOOT EXTENSION CABLE



16 AWG

10' CABLE LENGTH

X-CONNECT
MALE PLUG



X-CONNECT
FEMALE PLUG



The GC004 extends the reach of any Genius battery charger or accessory, making it easier to reach awkward locations.

What's In The Box

- GC004 X-Connect 10 Foot Extension Cable

Retail Packaging

Dimensions: 1.6" x 5.1" x 3.2"
Weight: 0.42 lbs
UPC: 0-46221-10057-0

Inner Carton:

Dimensions: 1.8" x 5.4" x 3.5"
Weight: 0.46 lbs

Master Carton:

Dimensions: 11.3" x 11.9" x 11.6"
Weight: 17.66 lbs
Quantity: 36
UCC: 10046221100577


Units Per Pallet:

3,456 Units



GC008 X-CONNECT XL EYELET TERMINAL CONNECTOR

16 AWG

M10 HOLE SIZE



Permanently mounting the GC008 to a battery allows any Genius charger to connect quickly and easily.



What's In The Box

- GC008 X-Connect XL Eyelet Terminal Connector

Retail Packaging

Dimensions: 1.6" x 5.1" x 3.2"
Weight: 0.20 lbs
UPC: 0-46221-10070-9

Inner Carton:

Dimensions: 1.8" x 5.4" x 3.5"
Weight: 0.25 lbs

Master Carton:

Dimensions: 11.3" x 11.9" x 11.6"
Weight: 9.85 lbs
Quantity: 36
UCC: 10046221100706

Units Per Pallet:

3,456 Units




G15000

Key Specs

Input Voltage: 85-130V,
50-60Hz
Efficiency: ~85%
Power: 255W (Max)
Charging Current: 15A
Low Voltage Detection: 2V
Back Current Drain: <5mA
Temperature Range: 0°C to
40°C

Charger Type: 8-Step PFC Smart
Charger
Battery Types: 12V & 24V
Battery Chemistries: Wet, Gel, MF,
CA, EFB, AGM and LIB
Battery Capacities: 50-400Ah
Housing Protection: IP44
Cooling: Natural Convection

NOCO 
genius®

Description	GM Part #	NOCO Part #
Boost Plus 1000A Jump Starter	19366935	GB40
Boost Plus EVA Protection Case	19418379	GBC013
Boost HD 2000A Jump Starter	19366934	GB70
Boost HD EVA Protection Case	19418380	GBC014
Boost Pro 4000A Jump Starter	19366933	GB150
Boost Pro EVA Protection Case	19418381	GBC015
56W XGC Power Adapter	19418382	XGC4
GENIUS5 5A Battery Charger	19419854	GENIUS5
GENIUS10 10A Battery Charger	19419855	GENIUS10
Eyelet Terminal Connector	19418383	GC002
10' Extension Cable	19418384	GC004
XL Eyelet Terminal Connector	19418385	GC008
G15000 Pro Series Smart Charger	19417442	G15000

NOCO JUMP STARTER ADVERTISING VIDEOS

Boost Family Ad: <https://vimeo.com/379076394>

GB50 Ad: <https://vimeo.com/356008523>

GB70 Ad: <https://vimeo.com/365144117>

GB50 Spanish Ad: <https://vimeo.com/356486204>

GB70 Spanish Ad: <https://vimeo.com/365871195>

NOCO JUMP STARTER INSTRUCTIONAL VIDEOS

How to recharge your NOCO Boost GB40: <https://vimeo.com/392312183>

How to recharge your NOCO Boost GB50: <https://vimeo.com/392312071>

How to recharge your NOCO Boost GB70: <https://vimeo.com/392311924>

How to recharge your NOCO Boost GB150: <https://vimeo.com/392311764>

How to jump start using your NOCO Boost GB40: <https://vimeo.com/392325549>

How to jump start using your NOCO Boost GB50: <https://vimeo.com/392325622>

How to jump start using your NOCO Boost GB70: <https://vimeo.com/392325704>

How to jump start using your NOCO Boost GB150: <https://vimeo.com/392325761>

NOCO JUMP STARTER INSTRUCTIONAL VIDEOS

OVERRIDE - RED EXCLAMATION MARK

How to use manual override on your NOCO Boost GB40: <https://vimeo.com/392319577>

How to use manual override on your NOCO Boost GB50: <https://vimeo.com/392319831>

How to use manual override on your NOCO Boost GB70: <https://vimeo.com/392320067>

How to use manual override on your NOCO Boost GB150: <https://vimeo.com/392320295>

NOCO CHARGERS INSTRUCTIONAL VIDEOS

NEW GENIUS CHARGERS

How to change modes on your NOCO GENIUS5: <https://vimeo.com/392316444>

How to change modes on your NOCO GENIUS10: <https://vimeo.com/392316581>

How to use force mode on your NOCO GENIUS5: <https://vimeo.com/392328090>

How to use force mode on your NOCO GENIUS10: <https://vimeo.com/392328305>

Noel Phillips - Sales Director

noel.phillips@no.co

(216)513-0302